



Contact your
local distributor

Spring / Summer

2026 Product Catalog

Expires November 2026

Superior Gloves LTD reserves the right to change
pricing without notice - Seasonal inventory - Transport extra



superiorglove
CUT LEVEL A9 PUNCTURE 3


superiorglove
STACXPNT
CUT LEVEL A7 PUNCTURE 4 ABRASION 5

superiorglove

ANSI & ASTM Standards

ANSI / ISEA 105 Icon

Updated pictogram standardizing cut, abrasion, and non-needlestick puncture into a single icon rating



Abrasion Resistance

Level	Level	Level	Level	Level	Level
1	2	3	4	5	6
> 100 Abrasion Revolutions	> 500 Abrasion Revolutions	> 1,000 Abrasion Revolutions	> 3,000 Abrasion Revolutions	> 10,000 Abrasion Revolutions	> 20,000 Abrasion Revolutions
Tested at 500g of force			Tested at 1,000g of force		

Cut Resistance

Level	Level	Level	Level	Level
A1	A2 A3	A4	A5 A6	A7 A8 A9
Nuisance Cut Hazards	Low Cut Hazards	Moderate Cut Hazards	High Cut Hazards	Extreme Cut Hazards
200 – 499 grams to cut	500 – 1,499 grams to cut	1,500 – 2,199 grams to cut	2,200 – 3,999 grams to cut	4,000 – 6,000+ grams to cut
Paper cuts, parts assembly	General purpose, shipping & handling, masonry	Low-gauge metal handling, assembly, installation (drywalling, electrical maintenance, HVAC)	Mid-gauge metal handling, recycling & sorting, blade sharpening & handling, well drilling, oil refinery maintenance, glass handling	High-gauge metal & stamped parts handling, stainless steel manufacturing, butchering, blade maintenance & sharpening (pneumatic blades), industrial pipe fitting, steel cable handling, food processing & butchering, glass pane handling, bottling

Impact Resistance

ANSI / ISEA 138	ANSI / ISEA 138	ANSI / ISEA 138
1	2	3
Low	Moderate	High

Heat Resistance

ANSI	ANSI	ANSI	ANSI	ANSI
1	2	3	4	5
HEAT	HEAT	HEAT	HEAT	HEAT
176°F / 80°C	284°F / 140°C	392°F / 200°C	500°F / 260°C	608°F+ / 320°C+

Each level is the maximum temperature where workers have up to 15 seconds before they receive second-degree burns

Puncture Resistance - Hypodermic

ASTM F2878
Hypodermic puncture protection

ANSI	ANSI	ANSI	ANSI	ANSI
1	2	3	4	5
NEEDLE	NEEDLE	NEEDLE	NEEDLE	NEEDLE
≥ 2N of Puncture	≥ 4N of Puncture	≥ 6N of Puncture	≥ 8N of Puncture	≥ 10N of Puncture
Needles, fine wood splinters, tiny pieces of glass, barbs on wires, thin gauge wire, construction staples				

Puncture Resistance - Probe

EN 388:2016
Probe puncture protection

Level	Level	Level	Level	Level
1	2	3	4	5
≥ 10N of Puncture	≥ 20N of Puncture	≥ 60N of Puncture	≥ 100N of Puncture	≥ 150 of Puncture
Nails, thick cables, wood splinters, and wires				

These recommendations are of a general nature and are not specific to everyone's needs. Always ensure your selected gloves comply with the mandated safety standard recommended for your application.



TENACTIV PRO™
STACXPNRT | 5 - 12

Extreme cut protection with reinforced nitrile thumb
crotch for material handling and longevity



MSRP \$16.75 / PAIR



TENACTIV PRO™
STACXPURT | 5 - 12

Cut-resistant with maximum abrasion and reinforced thumb
crotch for extra durability and dexterity when material handling



MSRP \$11.05 / PAIR



TENACTIV MAX™
S13TAWFN | 6 - 12

Latex-free maximum cut protection with wet
grip for handling lightly oiled parts



MSRP \$21.50 / PAIR



TENACTIV MAX™
STAGXPU | 5 - 12

Maximum cut protection with dry grip and sense of feel
that hides dirt and stains for longer wear life



MSRP \$29.35 / PAIR.



DEXTERITY®
S18TAGGFN | 5 - 11

Silicone-free low-linting hi-viz green gloves with cut
protection for hand placement and worker visibility



MSRP \$14.45 / PAIR



TENACTIV™
S13TANT | 5 - 11

Cut protection with specially formulated non-marring palm coating for durability and longer wear life



MSRP \$11.05 / PAIR



TENACTIV™
S13TAFNT | 5 - 12

Economic choice latex-free cut resistance with touchscreen compatibility and steady wet grip



MSRP \$10.95 / PAIR



DEXTERITY PRO™
S21TAXRFN | 5 - 12

Ultra-thin gloves with cut protection for hand movement and a bare hand feel



MSRP \$9.95 / PAIR



PARAACTIV™
S13FRNE | 5 - 11

Arc flash-rated cut protection for better dexterity plus neoprene palm coating for grip



MSRP \$19.65 / PAIR



PARAACTIV™
SKFGFNLTG | 6 - 12

Cut protection with reinforced leather thumb crotch for added durability



MSRP \$18.30 / PAIR



TENACTIV™
STAGPNVPI | XS - 3XL

Vibration-dampening gloves with protection against cut hazards

ANSI/ISEA 105



MSRP \$18.95 / PAIR



DEXTERITY PRO™
S21TAXGFN | 6 - 12

Hi-viz cut protection with high dexterity for light material handling

ANSI/ISEA 105



MSRP \$13.55 / PAIR



DEXTERITY®
S18TAXFN | 6 - 12

Ultra-thin hi-viz maximum cut protection for better sense of touch and hand placement awareness

ANSI/ISEA 105



MSRP \$17.85 / PAIR



TENACTIV™
S13SXPU | 6 - 12

Low-linting gloves for incidental cut protection and non-marring palms to prevent contamination

ANSI/ISEA 105



MSRP \$17.75 / PAIR



DEXTERITY®
S18WTFN | 6 - 12

Water and wind protection with laminated anti-slip layers for better grip plus cut resistance

ANSI/ISEA 105



MSRP \$34.25 / PAIR



DEXTERITY PRO™
S21UFN | 6 - 12

Economic choice for ultra-thin gloves with maximum dexterity and wet grip

ANSI/ISEA 105



EARTH FRIENDLY

MSRP \$3.95 / PAIR



KNITACTIV™
S13GPPU | 6 - 11

High touch-sensitive low-linting gloves with non-marring palms for small parts handling

ANSI/ISEA 105



NON-MARRING

MSRP \$1.39 / PAIR



KNITACTIV™
S15NAPN | 5 - 11

Maximum durability for high abrasion tasks

ANSI/ISEA 105



MSRP \$4.29 / PAIR



DEXTERITY®
S18HVLX | 6 - 11

Sweat-wicking hi-viz gloves with crinkle latex palm coating for strong wet or dry grip

ANSI/ISEA 105



MSRP \$3.25 / PAIR



ENDURA PRO™
378GTAXB | S - 3XL

Cut-resistant leather gloves with impact protection and safety cuffs plus unpadded palms for better hand motion

ANSI/ISEA 105



ANSI / ISEA 138



MSRP \$19.95 / PAIR



ENDURA PRO™
399GTAXVB | S - 3XL

Extreme cut-resistant leather with impact protection and extended cuffs plus unpadded palms for better hand motion



MSRP \$22.95 / PAIR



ENDURA PRO™
378GTXVBG | XS - 3XL

Hi-viz cut protection with impact resistance and unpadded palms for better visibility and hand motion



MSRP \$31.95 / PAIR



ENDURA PRO™
378GKGVBE | XS - 3XL

Economic choice for shutdown and turnaround maintenance



MSRP \$26.55 / PAIR



ENDURA PRO™
378GTXTOT | S - 2XL

Cut resistance with patented palm strips for enhanced grip plus hi-viz orange fingertips for visibility



MSRP \$25.25 / PAIR



CLUTCH GEAR®
MXGCE | XS - 2XL

Economical mechanics style gloves that are durable and flexible



MSRP \$17.25 / PAIR



CLUTCH GEAR®
MXVSBE | S - 3XL

Economical mechanics style gloves for protection against cuts and impact



MSRP \$19.85 / PAIR



CLUTCH GEAR PRO™
MXTAXB | S - 3XL

Mechanics style extreme cut protection with impact resistance and adjustable wrist straps for secure fit



MSRP \$33.25 / PAIR



ENDURA PRO™
378GTXHVB | S - 2XL

Hi-viz green driver gloves with cut protection plus patented palm strips for enhanced grip and comfort



MSRP \$20.85 / PAIR



SOLVSTOP™
S18V30NT | 7 - 11

Chemical-resistant PVC gloves with nitrile palm coating for wet grip



MSRP \$8.65 / PAIR



ENDURA®
399OBGKG5 | XS - 2XL

Metal fabrication gloves treated to resist liquids with cut and heat protection



MSRP \$37.95 / PAIR



ENDURA®
370CTIG | S - 2XL

TIG welding gloves with heat protection that balances flexibility and durability



MSRP \$15.25 / PAIR



ENDURA®
399GKGL5 | S - 3XL

All-round fabrication and MIG welding gloves with arc flash protection



MSRP \$33.75 / PAIR



ENDURA®
378GKGE | S - 3XL

Economic choice for arc flash protection with cut resistance



MSRP \$20.35 / PAIR



ENDURA MAX™
399GCXL5 | S - 3XL

All-round fabrication gloves with maximum cut protection for material handling



MSRP \$39.60 / PAIR



DEXTERITY PRO™
S21TX | 5 - 12

Maximum cut protection with outstanding dexterity and tactility for use on their own or as glove liners



MSRP \$16.95 / PAIR



DEXTERITY PRO™
S21TXUFN | 5 - 12

Maximum cut protection with outstanding hand dexterity and comfort for freedom of movement and bare hand feel



MSRP \$19.85 / PAIR



DEXTERITY PRO™
S21TXPN | 5 - 12

Ultra-thin maximum cut protection with added abrasion resistance



MSRP \$20.80 / PAIR



DEXTERITY PRO™
S21TXUGFN | 5 - 12

Hi-viz maximum cut protection for worker visibility with outstanding range of motion and bare hand feel



MSRP \$20.10 / PAIR



DEXTERITY PRO™
S21PPN | 5 - 12

Outstanding hand dexterity and comfort for freedom of movement with maximum durability and steady wet grip



MSRP \$6.65 / PAIR



DEXTERITY®
S18TAXPUE | 6 - 12

Economic choice for extreme cut protection and dexterity plus steady dry grip



MSRP \$12.25 / PAIR



**TENACTIV PRO™
STXFNGP | 6 - 11**

Cut protection with patented palm strips for enhanced grip and durability

ANSI/ISEA 105



MSRP \$14.85 / PAIR



**ENDURA PRO™
378GTX | S - 3XL**

Cut resistance with patented palm strips for enhanced grip and comfort plus breathable hi-viz orange back

ANSI/ISEA 105



MSRP \$21.65 / PAIR



**ENDURA MAX™
378GOBTX | S - 3XL**

Maximum cut-resistant leather with liquid resistance and safety cuffs for range of motion

ANSI/ISEA 105



MSRP \$48.65 / PAIR



**SUPERIOR®
TSKPHV | M - 3XL**

Green hi-viz shirt with light cut-resistant sleeves

ANSI/ISEA 105



MSRP \$53.95 / EACH



**SUPERIOR®
CASTXP | M - 5XL**

Comfortable and breathable shirt with extreme cut-resistant sleeves

ANSI/ISEA 105



MSRP \$156.95 / EACH



TENACTIV PRO™
KTAG18TH | L

Tubular knit high cut-resistant sleeves for all day protection
18", tubular or tapered cut, available with or without thumbhole

ANSI/ISEA 105



MSRP \$12.45 / PAIR



PARAACTIV™
KAWC14 | L

Low cut protection sleeves that guard against sparks, flames, and heat
14", tubular cut, available with or without thumbhole

ANSI/ISEA 105



MSRP \$8.65 / PAIR



KNITACTIV PRO™
KPW14 | L

Low cut-resistant sleeves made with recycled material
14", tubular cut, available with or without thumbhole

ANSI/ISEA 105



MSRP \$4.75 / PAIR



SUPERIOR®
SXNMCM12 | M - XL

Breathable waterproof socks that wick away sweat to keep feet dry and comfortable



WATERPROOF

MSRP \$25.90 / PAIR



SUPERA® ESSENTIALS
SXKVFR | M - XL

Inherently fire-resistant socks for comfort and protection against flames



MSRP \$15.80 / PAIR

Cleaning Instructions

Acrylic Wash in cold water (85°F / 30°C) | Tumble dry low heat | Safe to bleach

Chemical Rinse in water and mild detergent | Reverse to dry inner liner

Cotton Wash in cold water (85°F / 30°C) | Tumble dry low heat | Safe to bleach

Leather Dry-clean | Do not bleach

MetaActiv™ Wash in hot water (170°F / 75°C) | Tumble dry high heat | Do not bleach

Nylon Wash in warm water (105°F / 40°C) | Tumble dry low heat | Safe to bleach

ParaActiv™ Wash in hot water (170°F / 75°C) | Tumble dry high heat | Do not bleach

Polyester Wash in warm water (105°F / 40°C) | Tumble dry low heat | Safe to bleach

TenActiv™ Wash in cold water (85°F / 30°C) | Tumble dry low heat | Safe to bleach

Wool Wash in warm water (105°F / 40°C) | Tumble dry low heat | Safe to bleach

Mixed materials

For safety gloves with mixed materials, give preference and accommodate for the following:

- Do not use high heat with thermoplastic materials like HPPE, nylon, and polyester
- Do not use bleach or high heat on gloves with hypodermic puncture protection
- Dry clean gloves with leather

Palm coated Disregard palm coating | Follow the cleaning instructions for other materials the glove contains




Sizing Guides

Gloves

A proper fit is extremely important. An uncomfortable fit causes hand fatigue and ultimately could lead to a potential workplace hazard.

Measure the width of your hand 1 inch below the base of your first finger and across your knuckles.


5 / 2XS	2.75 inches / 68 mm	10 / XL	4.5 inches / 113 mm
6 / XS	3 inches / 76 mm	11 / 2XL	4.75 inches / 123 mm
7 / S	3.25 inches / 84 mm	12 / 3XL	5.25 inches / 134 mm
8 / M	3.75 inches / 94 mm	13 / 4XL	5.5 inches / 140 mm
9 / L	4 inches / 105 mm		



Sleeves

To find the best fit, measure the circumference of your bicep and choose the corresponding sleeve size according to the chart below.

2XS	9.75 inches / 250 mm	L	11.5 inches / 295 mm
XS	10.25 inches / 260 mm	XL	12.25 inches / 310 mm
S	10.5 inches / 270 mm	2XL	12.75 inches / 325 mm
M	11 inches / 280 mm		



Sleeves are available in multiple lengths.

For a more natural fit, some sleeves come in a tapered version which provide better comfort. Tapered sleeves are designed to fit the contours of your arm and won't lose shape due to stretching



(Tapered)



(Tubular)

Quick Fit Tips

A good fit is important for comfort and protection. Our measurements offer a starting point, but personal preference is key.


Clothing should fit comfortably without excessive bunching when moving. It shouldn't be too loose or too tight as that can affect the safety performance.

Shirts / Jackets

Measure the widest part of the chest - approximately 1-3 inches (3-10cm) below the armpits. Allow for 2 finger width space between chest and measuring tape for a more comfortable fit.

Use this measurement to select the corresponding garment size. If measurement is between sizes, select the larger size.

S	34-36 inches / 80-90 cm	2XL	50-52 inches / 126-135 cm
M	38-40 inches / 91-101 cm	3XL	54-56 inches / 136-145 cm
L	42-44 inches / 102-112 cm	4XL	58-60 inches / 146-155 cm
XL	46-48 inches / 113-125 cm	5XL	60-62 inches / 156-165 cm




Pants

Measure the area around the waist. Allow for 2 finger width space between waist and measuring tape for a more comfortable fit.

Use this measurement to select the corresponding garment size. If measurement is between sizes, select the larger size.

S	30-32 inches / 71-78 cm	2XL	42-44 inches / 100-110 cm
M	34-36 inches / 81-91 cm	3XL	46 inches / 110-115 cm
L	38 inches / 91-100 cm	4XL	48 inches / 115-120 cm
XL	40 inches / 91-100 cm		



Inseam Lengths


Regular: 32 inches / 81 cm | Tall: 36 inches / 92 cm

Coveralls

Measure the widest part of the chest - approximately 1-3 inches (3-10cm) below the armpits. Allow for 2 finger width space between chest and measuring tape for a more comfortable fit.

Use this measurement to select the corresponding garment size. If measurement is between sizes, select the larger size.

S	38 inches / 96-100 cm	2XL	52-54 inches / 131-141 cm
M	40-42 inches / 100-110 cm	3XL	56-58 inches / 141-151 cm
L	44-46 inches / 110-120 cm	4XL	60-62 inches / 151-161 cm
XL	48-50 inches / 120-130 cm		



Inseam Lengths

Regular: 30 inches / 76 cm | Tall: 32 inches / 81 cm

Montreal Sales Office
8022 rue Jarry E., Anjou, (QC) H1J 1H5
info@groupdibello.com

