



S18 and S21 Gloves

Contact your
local distributor

Featured Products

The Next Generation of Protection





Suppe





Why Superior Glove

Protection workers want to wear

Workers shouldn't have to choose between comfort and safety. We innovate to fit the protection they need into comfortable safety gloves and other PPE they'll want to wear.

North American innovation

We research, design, and test our products at our Canadian headquarters to ensure safety, effectiveness, and quality.

Injury reduction resources

We offer free educational resources and training services to help companies develop safety programs that eliminate and reduce injuries.





THE NEXT GENERATION OF PROTECTION

S21 Gloves



DEXTERITY PRO™ S21TXUFN | 5 - 12

Maximum cut protection with outstanding hand dexterity and comfort for freedom of movement and bare hand feel

ANSI/ISEA 105



DEXTERITY PRO™ S21TXUGFN | 5 - 12

Hi-viz maximum cut protection for worker visibility with outstanding range of motion and bare hand feel

ANSI/ISEA 105



DEXTERITY PRO™ S21TXPN | 5 - 12

Ultra-thin maximum cut protection with added abrasion resistance

ANSI/ISEA 105



DEXTERITY PRO™ S21TXFC | 7 - 12

Outstanding dexterity with flexible full hand coating for water resistance that won't hinder range of motion plus maximum cut protection

ANSI/ISEA 105





DEXTERITY PRO™
S21TX | 5 - 12

Maximum cut protection with outstanding dexterity and tactility for use on their own or as glove liners

ANSI/ISEA 105



DEXTERITY PRO™
S21TXUFNVB | 5 - 12

Ultra-thin maximum cut resistance with low-profile impact protection for freedom of movement in tight spaces

ANSI/ISEA 105



DEXTERITY PRO™
S21TXUFNOF | 5 - 12

Open-finger maximum cut protection with outstanding dexterity and bare hand feel for fine assembly

ANSI/ISEA 105



DEXTERITY PRO™
S21TAXFNVB | 6 - 12

Impact-resistant cut protection with high dexterity for light material handling

ANSI/ISEA 105



DEXTERITY PRO™
S21TXUFNRT | 5 - 12

Ultra-thin maximum cut protection with reinforced nitrile thumb crotch for lasting wear and mobility

ANSI/ISEA 105





DEXTERITY PRO™
S21TAXGFN | 6 - 12

Hi-viz cut protection with high dexterity for light material handling

ANSI/ISEA 105



DEXTERITY PRO™
S21TAXGPN | 6 - 12

Hi-viz cut protection for hand movement and light material handling of oily parts

ANSI/ISEA 105



DEXTERITY PRO™
S21TAXRFN | 5 - 12

Ultra-thin gloves with cut protection for hand movement and a bare hand feel

ANSI/ISEA 105



DEXTERITY PRO™
S21TX6 | 5 - 12

Our most dexterous maximum cut protection gloves with extended cuffs for additional wrist protection

ANSI/ISEA 105



DEXTERITY PRO™
S21TAXRFNB | 5 - 12

Ultra-thin cut protection with low-profile impact bumpers for freedom of movement in tight spaces

ANSI/ISEA 105





THE NEXT GENERATION OF PROTECTION

S21 Safety Sleeves



DEXTERITY PRO™ SL21TX18TE | XS - 2XL

Ultra-thin sleeves with the industry's highest cut protection

18", tapered cut, available with thumbhole



DEXTERITY PRO™ SL21TA18 | S/M - 2XL/3XL

Breathable cut-resistant sleeves for freedom of movement and outstanding comfort

18", tapered cut, without thumbhole



DEXTERITY PRO™ SL21TA18TH | S/M - 2XL/3XL

Breathable cut-resistant sleeves for freedom of movement and outstanding comfort

18", tapered cut, with thumbhole





THE NEXT GENERATION OF PROTECTION

S18 Gloves



DEXTERITY®
S18TXLX | 6 - 12

Hi-viz maximum cut protection with high dexterity for abrasive material and glass handling

ANSI/ISEA 105



DEXTERITY®
S18TAXFN | 6 - 12

Ultra-thin hi-viz maximum cut protection for better sense of touch and hand placement awareness

ANSI/ISEA 105



DEXTERITY®
S18TAX2FN | 6 - 12

Ultra-thin extreme cut protection for dexterity with double-dipped palm coating for excellent wet and oily grip

ANSI/ISEA 105



DEXTERITY®
S18N2FN | 6 - 12

Earth-friendly gloves with double-dipped palm coating for enhanced grip in wet and oily conditions

ANSI/ISEA 105





DEXTERITY®
S18TXNT | 5 - 12

Hi-viz gloves with specially formulated nitrile palm coating for durability and maximum cut resistance

ANSI/ISEA 105



DEXTERITY®
S18TAXPUE | 6 - 12

Economic choice for extreme cut protection and dexterity plus steady dry grip



ANSI/ISEA 105



DEXTERITY®
S18TXFTLP | 7 - 11

Zoned maximum cut resistance that protects the most vulnerable areas

ANSI/ISEA 105



DEXTERITY®
S18TAPN | 5 - 12

Cut-resistant gloves that are softer than typical cut protection and will not irritate skin

ANSI/ISEA 105





DEXTERITY®
S18TAPNVB | 5 - 12

Cut-resistant gloves that are softer than typical cut protection and will not irritate skin plus impact protection

ANSI/ISEA 105



ANSI / ISEA 138



DEXTERITY®
S18TAGFFN | 5 - 12

Cut resistance with extended double-dipped hand coating for liquid resistance and added durability

ANSI/ISEA 105



DEXTERITY®
S18TAGGFN | 5 - 11

Silicone-free low-linting hi-viz green gloves with cut protection for hand placement and worker visibility

ANSI/ISEA 105





DEXTERITY®
S18TAGOFN | 5 - 11

Silicone-free low-linting hi-viz orange gloves with cut protection for hand placement and worker visibility

ANSI/ISEA 105



DEXTERITY®
S18WTFN | 6 - 12

Water and wind protection with laminated anti-slip layers for better grip plus cut resistance

ANSI/ISEA 105



WATERPROOF



DEXTERITY®
S18WTLFN | 6 - 12

Waterproof cut resistance with cold protection down to -10°C / - 14°F

ANSI/ISEA 105



WATERPROOF



TENACTIV MAX™
S18TX26FN | 6 - 12

Fully coated maximum cut protection for water resistance and excellent oil grip plus dexterity

ANSI/ISEA 105



WATERPROOF



DEXTERITY®
S18TAFGFN | 4 - 12

Ultra-thin and versatile cut protection for a wide range of tasks

ANSI/ISEA 105



ESD



DEXTERITY®
PS18TAWPUE | 6 - 11

Economic choice low cut protection with outstanding dry grip and freedom of movement

Vend-packed for use with vending machines

ANSI/ISEA 105



DEXTERITY®
S18KGFN | 5 - 11

Ultra-thin silicone-free touchscreen compatibility for protection against minor cut hazards

ANSI/ISEA 105



DEXTERITY®
S18ULPFN | 5 - 12

Ultra-thin dexterity for assembly and inspection tasks

ANSI/ISEA 105



DEXTERITY®
S18HVLX | 6 - 11

Sweat-wicking hi-viz gloves with crinkle latex palm coating for strong wet or dry grip

ANSI/ISEA 105






Sizing Guides

Gloves

A proper fit is extremely important. An uncomfortable fit causes hand fatigue and ultimately could lead to a potential workplace hazard.

Measure the width of your hand 1 inch below the base of your first finger and across your knuckles.


5 / 2XS	2.75 inches / 68 mm	10 / XL	4.5 inches / 113 mm
6 / XS	3 inches / 76 mm	11 / 2XL	4.75 inches / 123 mm
7 / S	3.25 inches / 84 mm	12 / 3XL	5.25 inches / 134 mm
8 / M	3.75 inches / 94 mm	13 / 4XL	5.5 inches / 140 mm
9 / L	4 inches / 105 mm		



Sleeves

To find the best fit, measure the circumference of your bicep and choose the corresponding sleeve size according to the chart below.

2XS	9.75 inches / 250 mm	L	11.5 inches / 295 mm
XS	10.25 inches / 260 mm	XL	12.25 inches / 310 mm
S	10.5 inches / 270 mm	2XL	12.75 inches / 325 mm
M	11 inches / 280 mm		



Sleeves are available in multiple lengths.

For a more natural fit, some sleeves come in a tapered version which provide better comfort. Tapered sleeves are designed to fit the contours of your arm and won't lose shape due to stretching



(Tapered)



(Tubular)

Quick Fit Tips

A good fit is important for comfort and protection. Our measurements offer a starting point, but personal preference is key.


Clothing should fit comfortably without excessive bunching when moving. It shouldn't be too loose or too tight as that can affect the safety performance.



ANSI & ASTM Standards

ANSI / ISEA 105 Icon

Updated pictogram standardizing cut, abrasion, and non-needlestick puncture into a single icon rating



Abrasion Resistance

Level	Level	Level	Level	Level	Level
1	2	3	4	5	6
> 100 Abrasion Revolutions	> 500 Abrasion Revolutions	> 1,000 Abrasion Revolutions	> 3,000 Abrasion Revolutions	> 10,000 Abrasion Revolutions	> 20,000 Abrasion Revolutions
Tested at 500g of force			Tested at 1,000g of force		

Cut Resistance

Level	Level	Level	Level	Level
A1	A2 A3	A4	A5 A6	A7 A8 A9
Nuisance Cut Hazards	Low Cut Hazards	Moderate Cut Hazards	High Cut Hazards	Extreme Cut Hazards
200 – 499 grams to cut	500 – 1,499 grams to cut	1,500 – 2,199 grams to cut	2,200 – 3,999 grams to cut	4,000 – 6,000+ grams to cut
Paper cuts, parts assembly	General purpose, shipping & handling, masonry	Low-gauge metal handling, assembly, installation (drywalling, electrical maintenance, HVAC)	Mid-gauge metal handling, stamped metal handling, recycling & sorting, blade sharpening & handling, well drilling, oil refinery maintenance, glass handling	High-gauge metal & stamped parts handling, stainless steel manufacturing, butchering, blade maintenance & sharpening (pneumatic blades), industrial pipe fitting, steel cable handling, food processing & butchering, glass pane handling, bottling

Impact Resistance

ANSI / ISEA 138	ANSI / ISEA 138	ANSI / ISEA 138
1	2	3
Low	Moderate	High

Heat Resistance

ANSI 1 HEAT	ANSI 2 HEAT	ANSI 3 HEAT	ANSI 4 HEAT	ANSI 5 HEAT
176°F / 80°C	284°F / 140°C	392°F / 200°C	500°F / 260°C	608°F+ / 320°C+

Each level is the maximum temperature where workers have up to 15 seconds before they receive second-degree burns

Puncture Resistance - Hypodermic

ASTM F2878 Hypodermic puncture protection

ANSI 1 NEEDLE	ANSI 2 NEEDLE	ANSI 3 NEEDLE	ANSI 4 NEEDLE	ANSI 5 NEEDLE
≥ 2N of Puncture	≥ 4N of Puncture	≥ 6N of Puncture	≥ 8N of Puncture	≥ 10N of Puncture
Needles, fine wood splinters, tiny pieces of glass, barbs on wires, thin gauge wire, construction staples				

Puncture Resistance - Probe

EN 388:2016 Probe puncture protection

Level	Level	Level	Level	Level
1	2	3	4	5
≥ 10N of Puncture	≥ 20N of Puncture	≥ 60N of Puncture	≥ 100N of Puncture	≥ 150 of Puncture
Nails, thick cables, wood splinters, and wires				

These recommendations are of a general nature and are not specific to everyone's needs. Always ensure your selected gloves comply with the mandated safety standard recommended for your application.



EN08/15/25